IN THE CLAIMS:

- 1. (currently amended) A load-balancing unit adapted to apply fuzzy logic rules to sets of fuzzified, dynamic network-related indicator values and to generate a selection index associated with each set of indicator values.
 - 2. (original) The unit as in claim 1 wherein the unit comprises a load balancing switch.
 - 3. (original) The unit as in claim 1 wherein the unit comprises a load balancing router.
 - 4. (original) The unit as in claim 1 wherein the unit comprises a programmed media.
- 5. (original) The unit as in claim 1 further adapted to direct a request to a server associated with one of the generated selection indices.
- 6. (original) The unit as in claim 5 further adapted to direct a request to a server associated with a highest selection index.
- 7. (original) The unit as in claim 1 wherein each set of network-related indicator values is associated with a server.
- 8. (currently amended) The unit as in claim 7 4 wherein the server is one of multiple servers grouped together to form a server farm and one of each set of network-related indicator values is uniquely associated with one of the multiple servers fuzzy logic rules comprise 27 rules.
- 9. (currently amended) The unit as in claim <u>8</u> 1 wherein the <u>server farm is for providing</u> service for incoming requests of an Internet Service Provider and one of the multiple servers is <u>selected to provide service for one of the incoming requests based on the selection index associated</u> therewith network related indicator values comprise dynamic, time-dependent indicator values.
- 10. (original) The unit as in claim 1 wherein the indicator values comprise values associated with a response time, a number of active connections and a delivered throughput.

- 11. (original) The unit as in claim 1 further adapted to generate an area associated with each fuzzy logic rule.
- 12. (original) The unit as in claim 11 further adapted to generate an aggregate area from a combination of areas associated with the fuzzy logic rules.
- 13. (original) The unit as in claim 12 further adapted to generate the selection index from the aggregate area.
- 14. (original) The unit as in claim 12 further adapted to generate the selection index from a center of gravity of the aggregate area.
- 15. (currently amended) A method for selecting Internet servers comprising:

 applying fuzzy logic rules to sets of fuzzified, dynamic network-related indicator values; and
 generating a selection index associated with each set of fuzzified, dynamic network-related
 indicator values.
- 16. (original) The method as in claim 15 further comprising directing a request to a server associated with one of the generated selection indices.
- 17. (original) The method as in claim 16 further comprising directing a request to a server associated with a highest selection index.
- 18. (original) The method as in claim 15 wherein each set of network-related indicator values is associated with a server.
- 19. (currently amended) The method as in claim 15 wherein <u>each of</u> the fuzzy logic rules contribute to a calculation of the selection index for each set <u>comprise 27 rules</u>.

- 20. (currently amended) The unit as in claim 15 wherein the <u>method further comprises</u> selecting a server from a server farm based on the selection indexes to provide a requested service network related indicator values comprise dynamic, time-dependent indicator values.
- 21. (original) The method as in claim 15 wherein the indicator values comprise values associated with a response time, a number of active connections and a delivered throughput.
- 22. (original) The method as in claim 15 further comprising generating an area associated with each fuzzy logic rule.
- 23. (original) The method as in claim 22 further comprising generating an aggregate area from a combination of areas associated with the fuzzy logic rules.
- 24. (original) The method as in claim 23 further comprising generating a selection index from the aggregate area.
- 25. (previously presented) The method as in claim 23 further comprising generating each selection index from a center of gravity of the aggregate area.